Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

1. GRANT TYPE. Check the one that applies.							
☐ Targeted Runoff Management Grant – Agricultural			☐ Targeted Runoff Management Grant – Urban				
☐ Urban Nonpoint Source & Storm Water Management Grant – Construction		☐ Urban Nonpoint Source & Storm Water Management Grant – Planning					
☐ Notice of Discharge Grant							
2. PROJECT NAME & LOCATION.							
2.1. Project Name:			2.2. Grant Number:				
Village of Pewaukee DPW - Ya	rd Paving & Stormwate	er Project	USC-FX07-67171-12				
2.3. Governmental Unit Name:	2.3. Governmental Unit Name:		2.4. Primary Watershed Name:			2.5. Watershed Code:	
Village of Pewaukee			Upper	Fox River - Illinois		FX07	
NOTE FOR SECTION 2.6 (whic	h follows):						
Section 2.6. includes five (5) co discrete project locations, attach Hydrologic Unit Code (HUC), use	additional columns for S	Section 2.6 as de	escribed	in the instructions. If yo	ions. If our proje	your grant has n ect occurs in mor	nore than five (5) e than one 12-digit
2,6 Site Location(s) →	Α.	В.		C.		D.	Ε,
Name of Cost-Share Recipient or Governmental Unit	Village of Pewaukee						
Cost-Share Agreement Number (Agricultural only)							
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	071200060103						
Nearest Surface Receiving Water Affected							
Name:	Pewaukee River						
Waterbody Identification Code(s) (WBIC):	FX07						
Nearest Impaired Water Affected							
Name:	Pewaukee River						
Waterbody Identification Code(s) (WBIC):	FX07						
Pollutants Reduced	TSS & Phosphorus						
Impairments/Impacts Addressed	TSS & Phosphorus						

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
 Notice of Discharge Program (ch. NR 153)
 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	Α.	В.	C.	D.	E
Project Coordinates:					
Town	7N				
Range	19E		ę ²		Α
Section	9				
Quarter	SE				
Quarter-Quarter	NWSE		II .		
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	43-4-40 413°4′39.21″			>	
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	88 14 47, 04°			2	e e

3. SUMMARY OF RESULTS.					
Table A. Agricultural Projects. – Ch. NR 151 Performance Standards and Prohibitions and Other Water Resources Management Priorities					
A.1. Management Measures	Units of Measure	Quantity	Measurement Method Used		
Sheet, rill and wind erosion	Acres meeting "T"	acres			
Manure Storage Facilities: New Construction/Alterations	Number of facilities	facilities			
	Number of animal units	animal units			
Manure Storage Facilities: Closure	Number of facilities	facilities			
Manure Storage Facilities:	Number of facilities	facilities			
Failing/Leaking Facilities	Number of animal units	animal units			
	Pollutant load reduction	lbs.			
Clean Water Diversions in WQMA	Number of farms with diversions	farms			
	Number animal units	animal units			
Nutrient Management on Agricultural Land	Acres planned	acres			
Deskibition Manura Starage Overflow	Number of farms	farms			
Prohibition: Manure Storage Overflow	Number of animal units	animal units			
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms			
	Pollutant load reduction	lbs.			
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities			
. SSSISSIONS MAINING	Number of animal units	animal units			
	Feet of bank protected	feet			
Prohibition: Unlimited Livestock Access	Number of farms	farms			

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
 Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Fable A. Agricultural Projects. (continued) A.2. Other Management Measures	Units of Measure	Quantity	Measurement Method Used
A.2. Other Management Measures			
	Units (use feet, acres or number as applicable)		
Streambank & Shoreline Protection	Pollutant load reduction (if		A STATE OF THE STA
	method available)		
	Units (use feet, acres or		
Other:	number as applicable) Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable)		
other.	Pollutant load reduction (if method available)		
A II AI	Units (use feet, acres or		
00	number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
Table B. Urban Construction Projects S	erving Developed Areas.		
3.1. Required Management Measures	Units of Measure	Quantity	Measurement Method Used
			A. A
	TSS reduced	541 lbs.	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced TSS reduction		SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	10-10-10-10-10-10-10-10-10-10-10-10-10-1		
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures	TSS reduction		SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for	TSS reduction TSS reduced	61 % lbs.	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures	TSS reduction TSS reduced TSS reduction	61 % Ibs. %	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities	TSS reduction TSS reduced	61 % lbs.	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for	TSS reduction TSS reduced TSS reduction Pre-development stay-on	61 % Ibs. %	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration	TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume	61 % lbs. % ft³/year	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume	61 % Ibs. %	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour	TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per	61 % lbs. % ft³/year	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	61 % Ibs. % ft³/year	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	61 % Ibs. % ft³/year ft³/sec	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	61 % Ibs. % ft³/year ft³/sec feet	SLAMM
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	Ibs. % ft³/year ft³/sec feet Yes \sum No tons feet	SLAMM

Existing Developed Urban Areas

New Development

Total Acres

C.2. Estimate total acres covered by the

- Final Report Form 3400-189 (rev. 7/30/09)

 Targeted Runoff Management Grant Program (ch. NR 153)

 Notice of Discharge Program (ch. NR 153)

 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:	acres	acres		acres
C.3. Products developed (check all below that apply)	lc lc	lentify Documents by Name (if applic	able)	
Storm Water Plan			. *	16 - 24-24-24
Construction or Erosion Ordinances				9
Post-construction Storm Water Ordinances				
Other Types of Storm Water Quality Ordinances	′			
Financing Methods: identified and evaluated				
Financing Methods: developed or implemented				
☐ I & E Plan	. 1 1			
☐ I & E Implementation Activities				9
Other:				
C.4. Identify the Storm Water goals addressed (check all that apply)				
Reduce TSS	Comments			
Maintain infiltration	Comments:			
Control Peak Flow				
Protective Areas				
Control of Fueling & Maintenance Areas				
Remove Illicit Discharges				
Other:				
4. Satisfaction of Notice Require provide information for each notice in the	rements. If cost sharing for this p	roject was offered under a formal no	tice pursuant to c	hs. NR 151 or 243,
Notice Information	table below.		Notice Satisfa	action Information
Chs. NR 151 or 243 Notice Type Issue Date	From (Name)	To (Name)	Satisfied? Yes No	Date Letter Sent
NA				
	PALESCOND OF THE PARTY OF THE P	2-2-11000		

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)					
Work started on 9/11/12 and was complete (except basin plantings) of and growing. See attached photos for completed bioretention areas.	n 9/29/12. Plantings were all instal	led on 5/24/13 and are well-rooted			
6. Summary of Project Challenges. (Space will expand to fit your text.)					
Overall the project went as planned. The only field alteration was the addition of mesh fabric to further stabilize the bank in locations where asphalt drained to the bioretention basins.					
7. Grantee Certification.					
Checking here Coertifies that, to the best of your knowledge, the information	ion contained in this report is correct				
Name of Authorized Representative (type or print) ↓	lame of Authorized Representative (type or print) ↓ Title of Authorized Representative (type or print) ↓				
David White, P.E.					
Signature of Authorized Representative	4	Date 11-13-13			
8. For Departmental Use Only.					
Regional NPS Coordinator – Please complete the following:					
8.A. Check here if you have received the following from the project sponsor: • one (1) printed, signed, original Final Report + attachments • one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic version to the Community Financial Assistance Grants Manager. Community Financial Assistance will forward to Runoff Management Section Grants Coordinator.					
8.B. Comments about this project: Creative application of practices in an unusual location (public works yard along river.)					
8.C. Type or print Name of Regional NPS Coordinator → Moureen McBrook					
8.D. Signature of Regional NPS Coordinator 8.E. Date					
Maurea McBra		1/10/14			